


DuPont™ Cyrel® FAST 1000 TD

THE WORLD'S FIRST SOLVENT-FREE,
FLEXOGRAPHIC PLATE PROCESSOR

DuPont Packaging Graphics



DuPont™ Cyrel® FAST 1000 TD



Technical Drawing

DuPont Packaging Graphics is a leading supplier serving the package printing markets with DuPont™ Cyrel® flexographic solutions. The Cyrel® systems for analogue and digital applications, which are available for solvent and thermal processing, comprise sheet photopolymer plates, continuous sleeves, plate making and mounting equipment. DuPont's complete range of equipment is Advancing Flexography for over 30 years. The DuPont™ Cyrel® systems are renowned for their unmatched production performance, for toping plate quality and abridge the overall pre-press workflow.

The Cyrel® FAST 1000 TD is designed with customer needs in mind, it is easy to install, support, maintain and operate. It is robust, extremely cost effective and reliable.

Application

- Maximum plate size 900 x 1,200 mm
- Extremely rapid access time
- Solvent free
- Higher durability for long print runs
- Robust and easy to support
- Optimum productivity

Product Features

DuPont™ Cyrel® FAST 1000 TD is a plate making system that uses dry, thermal technology to process high quality photopolymer plates thus eliminating all solvents and aqueous solutions from the plate room.

The Cyrel® FAST 1000 TD allows the production of Cyrel® FAST finished plates of up to a nominal format of 900 x 1,200 mm (36 inch x 48 inch) in less than one hour, making it the ideal just-in-time plate making system for a market.

The Cyrel® FAST 1000 TD delivers outstanding plate quality and uniformity. This processor has the ability to produce a finished plate without solvent washout. The wide format Cyrel® 1000 ECLF for exposing and light-finishing plates is available to complement the Cyrel® FAST 1000 TD as an all-round system solution. As with all elements of the Cyrel® FAST system, it is environmentally friendly with no solvents to handle, store or recycle and no drying equipment is required. In addition, the new design saves space and requires no expensive plate room construction.

The technology enhances the production of high quality plates quickly, by combining the efficiency and speed of digital plate imaging with the productivity and environmental benefits of dry, thermal plate processing.

The digital plates for DuPont's thermal plate making process are designed to meet the needs of high quality plate with fine halftone, line-work and solids.



The miracles of science™


Technical Data		
General	Details	Other Notes
Equipment Name	DuPont™ Cyrel® FAST 1000 TD	Thermal developer (water cooled)
SAP Article Number	MH59383	
Packing	Crated	
Max. nominal plate width	900 mm – 36 inch	
Min. nominal plate width	254 mm – 10 inch	
Max. nominal plate length	1,200 mm – 48 inch	
Max. Plate thickness	2.84 mm – 0.111 inch	
Electrical (field configurable)	208 / 240 Volt – 50 / 60hz**	3Ph / PE**
Power (nominal)	5.1 kW	
Current (nominal load)	32 Amp @ 230 Volt**	** Connecting wires 3x 6 mm ² for 230 Volt configuration.
Grounding	≤ 0.1 Ω	Ground bar to equipment frame and to electrical supply ground
Exhaust	Ø 140 mm – 5.5 inch	1500 m ³ / h – 883 scfm (min)
Environmental Data	Temperature range 17°C to 28°C – 63°F to 82°F	Relative humidity From 20% to 85% non-condensing
Compressed Air supply	6.9 bar	100 psi
Dimension L	1,750 mm – 68.9 inch (un-crated)	2,000 mm – 78.8 inch (crated)
W	1,570 mm – 61.9 inch (un-crated)	1,850 mm – 72.9 inch (crated)
H	1,020 mm – 40.2 inch (un-crated)	1,700 mm – 67.0 inch (crated)
Weight	1,179 kg – 2.599 lbs (un-crated)	1,270 kg – 2.800 lbs (crated)
Colour	DuPont Grey & DuPont Red	

All technical information set out herein is provided free of charge and is based on technical data, which DuPont believes to be reliable. It is intended for use by persons having skill, at their own discretion and risk. The handling precaution information contained herein is given with the understanding that those using it will satisfy themselves that their particular conditions of use present no health or safety hazards. Since conditions of product use are outside of our control we make no warranties express or implied in relation thereto and therefore cannot accept any liability in connection with any use of this information. Nothing herein is to be taken as a license to operate under, or a recommendation to infringe any patents.

Du Pont de Nemours (Deutschland) GmbH
 DuPont Imaging Technologies
 Hugenottenallee 173
 63263 Neu-Isenburg
 Deutschland
 Tel: +49 (0) 6102 18 4400

Du Pont (U.K.) Limited
 DuPont Imaging Technologies
 Wedgwood Way, Stevenage
 Hertfordshire SG1 4QN
 United Kingdom
 Tel: +44 (0) 1438 734485

To learn more, visit www.cyrel.co.uk
 or contact your Cyrel® specialist



The miracles of science™

DuPont Packaging Graphics
“Advancing Flexography”